



**DUMAS WALKER PEPPER AND PIE CO. – 1505 W. Main St.**

5/9/2013 Open N/S

**FAITH MISSION CANNERY KITCHEN – 500 E. Alamo St.**

5/22/2013 Routine 91

- 19. Evidence of Rodents/Other Animals
  - 24. Thermometers Not Provided /Accurate/Properly Calibrated (+/- 2°F)
  - 25. Food Contact Surfaces of Equipment and Utensils Not Cleaned/Sanitized/Good Repair
- Other: Clean floor in walk-in cooler  
Other: Store items off of floor in walk-in freezer

**FELDER'S BUY & BYE – 2111 S. Market St.**

6/12/2013 Routine 97

- 25. Food Contact Surfaces of Equipment and Utensils Not Cleaned/Sanitized/Good Repair

**HOME SWEET FARM MARKET – 306 S. Baylor St.**

5/20/2013 Visit N/S

**HORSESHOE JUNCTION – 2080 Hwy 290 W.**

6/18/2013 Routine 94

- 20. Toxic Items Improperly Labeled/Stored/Used
- 25. Food Contact Surfaces of Equipment and Utensils Not Cleaned/Sanitized/Good Repair

**INDEPENDENCE COFFEE CO. – 109 W. Main St.**

5/16/2013 Routine 94

- 16. Handwash Facilities Not Adequate and Accessible
- 24. Thermometers Not Provided /Accurate/Properly Calibrated (+/- 2°F)

**K&M GROCERY – 3600 Hwy 36 S.**

5/2/2013 Routine **95**  
2. Cold Hold Violation (41°F/45°F)

**LA MORELOS MARKET – 1501 S. Market St.**

6/26/2013 Routine **67**  
8. Good Hygienic Practices Violation (Eating/Drinking/Smoking/Other)  
13. Unapproved Systems (HACCP Plans/Time as Public Health Control)  
14. Lack of Water Supply – Unapproved Sources/Insufficient Capacity/Hot and Cold Not Under Pressure  
16. Handwash Facilities Not Adequate and Accessible  
16. Handwash Facilities Not Adequate and Accessible  
17. Handwash Facilities without Soap and Towels  
17. Handwash Facilities without Soap and Towels  
17. Handwash Facilities without Soap and Towels  
18. Evidence of Insect Contamination  
25. Food Contact Surfaces of Equipment and Utensils Not Cleaned/Sanitized/Good Repair  
Other: Repair door handle on walk-in cooler  
Other: Need hand washing sign at all hand sinks  
Other: Replace cutting board in meat market

**LA MORELOS MARKET – 1501 S. Market St.**

6/27/2013 Re-Inspection/Compliance **N/S**

**MOBIUS COFFEE HOUSE, INC. – 1120 S. Market St.**

6/25/2013 Routine **92**  
2. Cold Hold Violation (41°F/45°F)  
24. Thermometers Not Provided /Accurate/Properly Calibrated (+/- 2°F)  
Other: Need hand wash sign at all hand sinks

**RAU'S MEAT CENTER – 509 S. Market St.**

6/26/2013 Routine **100**

